

Lighting Options

Standard Perimeter

Profile View




Specifications


Specs:	3 LED	6 LED
Overall Length (per strip)	9.13"	19.5"
Width	1.10"	1.10"
Voltage	24v DC	24v DC
LED Angle	15° x 45°	15° x 45°
LED Quantity	3 per Strip	6 per Strip
Brightness (per strip)	720 Lumens	1200 Lumens
Power Supply	Class 2	Class 2
Color Temp (K)	6000K	6000K
Estimated Lifetime	50,000 Hrs	50,000 Hrs
Rating	Indoor IP64	Indoor IP64
Warranty	20,000 Hrs	20,000 Hrs
Power Consumption	8 watts	15 watts



3 LED: #2704



6 LED: #2705



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rose/displays
The Signware Specialists

Lumina™ Mesh Lighting

Lighting Options

Mesh Lighting

Profile View




Specifications

Specs:	
Overall Length (per strip)	21"
Width	0.40"
Voltage	24V DC
LED Quantity	12 per Strip
Brightness (per strip)	220 Lumens per Strip
Power Supply	Class 2
Color Temp (K)	6000K
Estimated Lifetime	50,000 Hrs
Rating	IP33
Warranty	20,000 Hrs
Power Consumption	2.5W / Strip




MESH: #2714

Top View



Top View Spacing



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rose/displays
The Signware™ Specialists

Lighting Options *Illuminated* RGBW Mesh

Profile View




Specifications

Specs:	
Overall Length (per strip)	23.5"
Width	0.39"
Voltage	24V DC
LED Quantity	12 per Strip
Brightness (per strip)	Variable
Power Supply	Class 2
Color Temp (K)	Variable
Estimated Lifetime	50,000 Hrs
Rating	IP33
Warranty	2 years
Power Consumption	Variable




RGBW: #2715

Side View



Top View Spacing



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rose/displays
The Signware® Specialists

Illuminated

Lighting Options

Light Guide Panel (LGP)


Profile View



Specifications

4100K: #2716 , 6500K: #2717

Specs:	
Overall Length	Built to spec
Width	Built to spec
Voltage	24V DC
LED Quantity	12 per Strip
Brightness (per strip)	Variable
Power Supply	Class 2
Color Temp (K)	4100K/6500K
Estimated Lifetime	50,000 Hrs
Rating	IP65 G
Warranty	2 years
Power Consumption	Variable



NOTE: SEG Systems' thinnest lightbox



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rosedisplays
The Signware[®] Specialists

Lighting Options *Illuminated* Optix

Profile View




Specifications

Specs:	
Overall Length (per strip)	23.625"
Width	0.8"
Voltage	24V DC
LED Angle	170°
LED Quantity	8 per Strip
Brightness (per strip)	360 Lumens per Strip
Power Supply	Class 2
Color Temp (K)	4100K/6500K
Estimated Lifetime	50,000 Hrs
Rating	IP33
Warranty	20,000 Hrs
Power Consumption	4.5W / Strip



4100K: #2710 , 6500K: #2711



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rose/displays
The Signware[®] Specialists

Power Illuminated Supply

Premium
100W

Profile View




Specifications




Specs:	
Overall Length	15.81"
Width	1.18"
Input Voltage	100V - 120V
Output Voltage	24V
Wattage	100 watts
Class	Class 2
Rating	IP-64
Input Connector	C-7
Output Connector	C-8
Warranty	5 years

PREMIUM: #2800

Top View



Side View



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rose/displays
The Signware™ Specialists

Power Supply

External
24V - 60Watt

Profile View




Specifications



Specs:	
Overall Length	8.53"
Width	1.488"
Input Voltage	100V - 240V
Output Voltage	12V
Wattage	60 watts
Class	Class 2
Rating	IP-64
Input Connector	C-13
Warranty	2 years

12V - 60W: #2803



Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.

500 Narragansett Park Dr. Pawtucket, RI 02861 | 800.631.9707 | rosedisplays.com | signware@rosedisplays.com

rose/displays
The Signware[®] Specialists